Our Product Introduction

more products please visit us on polyknitfabric.com

Outdoor Waterproof Pre-Connectorized OptiTap to SC/APC Drop Cable **Corning OptiTap Drop Cable**

Basic Information

• Place of Origin: Guangdong, China

. Brand Name: DYS Certification: UL. RoHS

 Model Number: OptiTap Drop Cable • Price: \$8.50 - \$15.00/pieces

Individual bag or according to customer's Packaging Details:

• Supply Ability: 200000 Piece/Pieces per Quarter



Product Specification

FTTx Solutions . Type: FTTX • Connector Type: OptiTap Connector A Type: SC/APC IP68 Waterproof:

 No. Of Fiber: Fiber Type: Sinalemode

Fiber Type: G657A, G652D, Om1, Om2, Om3

 Cable Diameter: 3.0mm,5.0mm Or 7.0mm

• Inserion Loss: Return Loss: >55db

ISO9001, ROHS Certifaction:

Port: Shenzhen



More Images









Product Description

Product Description

Outdoor Waterproof Pre-Connectorized OptiTap to SC/APC Drop Cable Corning OptiTap Drop Cable

DYS OptiTap/H connector assemblies provide a robust and sealed connection solution for fiber to the home (FTTH) connectivity. The hardened connector end incorporates an SC/APC type connection within a slim, sealed, threaded polymer housing allowing easy connection to either a multiport terminal or in-line extension receptacle. The SC/APC connector mates to a standard adapter, providing a common interface for FTTH applications. Available with flat drop or traditional round style OSP cables, the hardened connector provides an ideal solution for direct burial, conduit, or aerial installations


1. Compatible with Corning-OptiTap and H-Connector; 2. Factory terminated for high performance; 3. Available with one or both ends connectorized; 4. Hybrid (one end with an OptiTap Connector, one end with standard SC connector) available with or without pulling grip; 5. Available in dielectric or toneable; 6. Designed for aerial, direct-buried or duct installation; 7. IP-68 water and dust protection; 8. -40 ~85 operating temperature;

FTTH Outdoor Areas Harsh Environment


Our Product Introduction







Durability 500 mating
Working temperature -40 to +85













Outdoor Fiber Optic Cable Assembly







Main Products



Fiber Optic Cable





MPO/MTP





Fiber Optic Adapter





(FTTH) PLC Splitter





Our Company

DYS CERTIFICATE



COMPANY PROFILE























PACKING & DELIVERY







Wholesale orders

FAQ

- How many staff's we have?
 Answer: About 250 well-trained staff and er

- I. What is the area of the factory?

 Iver 5000 square meters
 fore than 30 non dust productions lines in total
 production lines for Filter Optic Cable

 It high standard MPO/MTP Jumper assembly line
 5 production lines for standard Jumpe

- What certificate we have?
 Answer: ISO 9001: 2015, RoSH, CE, High and New Tech Enterprise Certificate

Product inquiry

















19 Xinjian Gongmen Road, Haidian District, Beijing, China