Pre-Connectorized OptiTap to SC/APC Drop Cable Hardened Corning OptiTap Drop Cable

Basic Information

• Place of Origin: Guangdong, China

Brand Name: DYS
 Certification: UL, RoHS
 Model Number: OptiTap

• Price: \$8.50 - \$50.00/pieces

Packaging Details: Individual bag or according to customer's

request

• Supply Ability: 200000 Piece/Pieces per Quarter



Product Specification

• Type: Outdoor Fiber Optic Cable

Number Of Conductors:
 1

Connector Type: OptiTap Drop Cable
 Connector A Type: OptiTap Connector
 Connector B Type: SC/APC
 Waterproof: IP68
 No. Of Fiber: 1

Fiber Type: G657A, G652D, Om1, Om2, Om3
 Cable Diameter: 3.0mm,5.0mm Or 7.0mm

Application: FTTH

• Cable Length: 50FT, 100FT, 150FT, 200FT, 300FT...

Certifaction: ISO9001, ROHSPort: Shenzhen



More Images









Product Description

Product Description

Pre-Connectorized OptiTap to SC/APC Drop Cable Hardened Corning OptiTap Drop Cable

DYS OptiTap / H connector assemblies provide a robust and sealed connection solution for fiber to the home (FTTH) connectivity. The hardened connector end incorporates an SC/APC type connection within a slim, sealed, threaded polymer housing allowing easy connection to either a multiport terminal or in-line extension receptacle. The SC/APC connector mates to a standard adapter, providing a common interface for FTTH applications. Available with flat drop or traditional round style OSP cables, the hardened connector provides an ideal solution for direct burial, conduit, or aerial installations.

Features


1. Compatible with Corning-OptiTap and H-Connector; 2. Factory terminated for high performance; 3. Available with one or both ends connectorized; 4. Hybrid (one end with an OptiTap Connector, one end with standard SC connector) available with or without pulling grip; 5. Available in dielectric or toneable; 6. Designed for aerial, direct-buried or duct installation; 7. IP-68 water and dust protection; 8. -40 ~85 operating temperature;

Applications


FTTH Outdoor Areas Harsh Environment







Durability 500 mating
Working temperature -40 to +85











Outdoor Fiber Optic Cable Assembly







Main Products









MPO/MTP









Fiber Optic Adapter

Product inquiry



Our Company

DYS CERTIFICATE



COMPANY PROFILE



























PACKING & DELIVERY





Sample

Wholesale orders

FAQ

- How many staff's we have?
 Answer: About 250 well-trained staff and engineers.
- When our company be established?
 Answer: We started from year 2008.

- 4. What is the area of the factory?

Product inquiry





(Tyson) Beijing Silk Road Enterprise Management Services Co.,LTD





19 Xinjian Gongmen Road, Haidian District, Beijing, China