Cassette Type FTTH Fiber Optic 1x8 PLC Splitter LGX Box with SC APC Connector

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: DYS/OEM
- Model Number: 1*8 LGX splitter module
- Minimum Order Quantity: 50 pieces
- Price: $5.00 - $12.00/pieces
- Packaging Details: Individual box or according to customer's request
- Supply Ability: 20000 Piece/Pieces per Day

for more products please visit us on polyknitfabric.com

Product Specification

- Type: PLC Splitter
- Use: FTTH
- Box Material: Aluminum With Paint Spraying
- Connector: SC/APC
- Splitter Type: 1X8
- Fiber Diameter: 0.9mm
- Operation Wavelength: 1260-1650
- Material Of Box: ABS
- Size: 100mm*80mm*10mm
- Return Loss: >55dB
- Operating Temperature: -40 - 85
- Certifaction: ISO9001, ROHS
- Port: Shenzhen

More Images

Product Description

Product Description

Cassette Type FTTH Fiber Optic 1x8 PLC Splitter LGX Box with SC APC Connector

Our Product Introduction

1x8 LGX PLC Splitter

P/N:1x8-LGX-SC/APC

S/N:18111600028

mini type PLC splitter

Nx2-64(N=1or2)

ABS Box PLC splitter

Nx2-64(N=1or2)

LGX box

LGX box/ PLC patch panel, 19' rack

PLC patch panel

APPLICATION

FTTx Deployments(GPON/BPON/EPON)
Cable television (CATV)
Local area networks (LAN)
Test equipment
Passive optical networks(PON)

FEATURES

Excellent Mechanical,Small Size
High Reliability
Low insertion Loss and low Polarization Dependent loss
High channel counts
Excellent Environmental Stability and Widely Used

ITEM	1X2	1X4	1X8	1X16	1X32	1X64	2X2	2X4	2X8	2X16	2X32
Operating Wavelength(nm)	1260~1650										
Insertion Loss (dB) Max.	≤4.6	≤7.5	≤11.0	≤14.0	≤17.0	≤21.0	≤4.5	≤8.0	≤11.7	≤14.7	≤17.9
Loss Uniformity (dB) Max.	≤0.6	≤0.6	≤0.8	≤1.2	≤1.5	≤1.8	≤0.8	≤1.0	≤1.0	≤1.5	≤2.0
PDL (dB) Max.	≤0.2	≤0.2	≤0.2	≤0.3	≤0.3	≤0.3	≤0.2	≤0.2	≤0.2	≤0.3	≤0.3
Return Loss (dB)	UPC≥50dB;APC≥55dB										
Directivity (dB)	≥55										
Fiber Length (m)	1.2±0.1 , (Other Requirements Can Be Provide)										
Fiber Type	Corning SMF-28e, (Other Requirements Can Be Provide)										
Operation Temperature°C	-40~+85										

Our Company

DYS CERTIFICATE

1 One-stop Solution Service
2 Products made by DYS own factory with competitive price,good quality and fast delivery time

Reliability Testing Laboratory
Laboratory

- Manual Image Measuring Machine
- Automatic Insertion Force Testing Machine
- Tensile Testing Machine
- High Low Temperature Circulating Machine
- IPX8 Pressure Water Immersion Testing Machine
- Fiber Bending and Torsion Testing Machine
- Salt Spray Testing Machine
- Collision Testing Machine
- Three Directions Vibration Test Machine

SGS   UL   CPR   ROHS   CE   FC

PACKING & DELIVERY

FedEx Express   UPS   TNT   DHL   EMS

FAQ

1. Do you provide OEM ODM service ?
Yes, we can print your logo or label on the products or on the box.

2. How can you guarentee the quality ?
Build on our perfect quality management system, all of our products were 100% tested before the shipment.

3. What is your delivery time ?
Generally, sample: 3~5 working days; formal order: 7-10 working days.

4. What's the method of shipment?
We accept all shipment , such as Delievery,ocean transport, land transport , airport transport.

5. What's the Payment?
We accept all payments , such as LC,TT,DP,DA,Paypal,Western Union,Money Gram.

Product inquiry   Send us inquiry, you will get full catalog.