




High quality fiber optic simplex 900um G657A1 SC/APC pigtail

Our Product Introduction

for more products please visit us on polyknitfabric.com


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: DYS/OEM
- Model Number: SC/APC SM
- Minimum Order Quantity: 100 pieces
- Price: \$0.10 - \$0.45/pieces
- Packaging Details: 1pc/PE bag according to customer's request.
- Supply Ability: 100000 Piece/Pieces per Day




Product Specification

- Type: Fiber Pigtails
- Use: FTTH
- Model Name: SC/UPC Pigtail
- Model: SM(Single Mode)
- Connector Type: SC
- Ferrule Endface: UPC
- Cable Outer Diameter: 0.9mm
- Color: Yellow
- No. Of Fiber: 1
- Fiber Type: G652D / G657A2
- Pigtail Color: Yellow Or Customized
- Jacket: PVC/LSZH
- Port: Shenzhen



More Images



Product Description

Product Description



High quality fiber optic simplex 900um G657A1 SC/APC pigtail

Fiber Optic Pigtail is important of optical network,they have same or different connectors which are installed on the end of fiber optic cable. The Fiber Optic Patch Cord series comes with a comprehensive collection of lengths and connectors to fulfill your demand for the deployment.

Features


1. SC, LC, FC, MU, ST, MT-RJ, E2000 connector available;
2. Superior qualified standard PC, APC, UPC, SPC polishing;
3. $\phi 0.9\text{mm}$, $\phi 2.0\text{mm}$, $\phi 3.0\text{mm}$ cable optional;
4. Single mode (9125) or multi mode (50/125 or 62.5/125) fiber available;
5. Available in fiber bunch, ribbon fan-out, pigtail available;
6. Simplex and duplex connector available;
7. Low IL and High RL;
8. Good exchange ability and good durability;
9. Customized specifications are welcomed.

Our Product Introduction



Item	SM(Single Mode)			MM(Multimode)	
	G652D/G655/G657A1/G657A2			OM1	OM2/OM3/OM4
Fiber Cable Type	G652D/G655/G657A1/G657A2			OM1	OM2/OM3/OM4
Fiber Diameter (um)	9/125			62.5/125	50/125
Cable OD (mm)	0.9/1.6/1.8/2.0/2.4/3.0				
Endface Type	PC	UPC	APC	UPC	UPC
Typical Insertion Loss (dB)	<0.2	<0.15	<0.2	<0.1	<0.1

Return Loss (dB)	>45	>50	>60	/
Insert-pull Test (dB)	<0.2		<0.3	<0.15
Interchangeability (dB)	<0.1		<0.15	<0.1
Anti-tensile Force (N)	>70			
Temperature Range ()	-40~+80			



Main Products



Fiber Optic Cable



Patch Cord&Pigtail



MPO/MTP



FTTX Cable Assembly



Fiber Optic Adapter



(FTTH) Terminal Box



(FTTH) PLC Splitter



(FTTH) Fast Connector

Our Company

DYS CERTIFICATE

- 1 One-stop Solution Service
- 2 Products made by DYS own factory with competitive price good quality and fast delivery time

Reliability Testing Laboratory

- Manual Image Measuring Machine
- Automatic Insertion Force Testing Machine
- Tensile Testing Machine
- High/Low Temperature Circulating Machine
- IPX5 Pressure Water Immersion Testing Machine
- Fiber Bending and Torsion Testing Machine
- Salt Spray Testing Machine
- Collision Testing Machine
- Three Directions Vibration Test Machine



PACKING & DELIVERY



FAQ

1. Do you provide OEM ODM service ?
Yes, we can print your logo or label on the products or on the box.
2. How can you guarantee the quality ?
Build on our perfect quality management system, all of our products were 100% tested before the shipment.
3. What is your delivery time ?
Generally, sample: 3-5 working days; formal order: 7-10 working days.
4. What's the method of shipment?
We accept all shipment, such as Delivery, ocean transport, land transport, airport transport.
5. What's the Payment?
We accept all payments, such as LC, TT, DP, DA, Paypal, Western Union, Money Gram.

[Product inquiry](#)

Send us inquiry, you will get full catalog.



Beijing Silk Road Enterprise Management Services Co.,LTD



13299345678



13299345678@163.com



polyknitfabric.com

19 Xinjian Gongmen Road, Haidian District, Beijing, China