more products please visit us on polyknitfabric.com

Network Equipment Fiber Optic Dome splice Closure with PLC Splitter

Basic Information

• Place of Origin: Guangdong, China • Brand Name: DYS/OEM Certification: RoHS. FOSC-008 Model Number: Minimum Order Quantity: 10 pieces

\$10.00 - \$28.18/pieces

 Packaging Details: Individual box or according to customer's

10000 Piece/Pieces per Day Supply Ability:



Product Specification

• Type: Fiber Optic Splice Closure, Dome/horizontal

Shenzhen

• Color:

• Closure: PP/PC/ABS/ABS+PP Box Capacity: 12-288 Core Splice Tray Material: ABS Water Proof Grade: IP67 Life Span: 15 Years Use: No. Of Fiber: 12-288



More Images









Product Description

Product Description

Network Equipment Fiber Optic Dome splice Closure with PLC Splitter

Fiber optic closures are used throughout the network, including the fiber trunk, feeder, distribution, and last mile segments. DYS's Fiber Optic Closures combine proven fiber management hardware with a highly reliable sealing system ,with excellent performance in reliability, installation and flexibility.

Suitable for ribbon and non-ribbon fibers Aerial, duct, direct burial, and well Trunk lines Access networks FTTX, access networks and broadband

FEATURES

Easily accessible for maintenance, changes, and expansion Protected against water ingress and harsh conditions Suitable for a variety of applications and environments including aerial, pedestal, buried, or underground Compatible with existing cable types



Sealing Performance

Pressurized up to 100Kpa±5Kpa into the sealed FOSC, then put the FOSC into the water 15minutes. There are no air bubbles. Or there is no change of air pressure within 24 hours.

Re-entry performance

Re-entry the FOSC 3 times as normal working condition,and pressurized up to 100Kpa±5Kpa into the sealed FOSC,then put the FOSC into the water 15minutes. There are no air bubbles. Or there is no change of air pressure within 24 hours.

Mechanical Character

1. Tensile Test: The axial tensile strength should be not less than 800N, and there is not any crack. 2. Squeezing test: The FOSC can bear 2000N/m², the lasting time is 1 minute. There is not any crack. 3. Impact test. The FOSC can bear 16N.M impact 3 times, there is not any crack. 4. Bending test: The link part of cables and FOSC can bear 150N bending strength. The bending angle is ±450, repeat 10 times, there is not any crack. 5. Torsion Test: The FOSC can bear 50N.m torsion. The torsion angle is ±90°, repear 10 times, there is not any crack.



Fiber Optic Closure



Item Size(H*W*D)m	FOSC nm 460*2		FOSC-002 415*200*105		FOSC-003 800*200*93	FOSC-004 386*250*120
Cable port	4		8	2	2	6
Max splice capacity	120		144	7	'2	192
Weight (KG)	2.6		3.5	1	.45	3.3
Type	Horizontal					
Item	FOSC- 005	FOSC- 006	FOSC-007	FOSC-008	B FOSC-009	FOSC-010
Size(H*W*D) mm	438*205	330*85	435*220	430*130	600*135	600*250
Cable port	4	3	3	5	5	5
Max splice capacity	288	36	240	96	96	576
Weight (KG)	2.8	1	3.1	3.5	3.6	5.5
Material	ABS ,PC or PP					
Duration	25 years					
Type	Vertical (Dome)					

Main Products



Our Company

Shenzhen DYS Fiber Optic Technology is a leading company in developing and manufacturing advanced fiber optic products, mainly make fiber optic indoor and outdoor cable, CPRI waterproof jumper, MPO/MTP jumper, standard fiber optic jumper and PLC Splitter. DYS win the honorary title of National High-tech enterprise by Shenzhen government in 2014.

With years of experiences in the fiber optic industry, our factory is fully equipped over 3500 square meters and more than 23 non dust production lines. About 200 well-trained staff and engineers are contributing to our proud products. We have 5 production lines for fiber optic cable, 2 high standard MPO/MTP jumper assembly lines, 8 production lines for standard jumper and 8 PLC Splitter production lines.

The most advanced imported polishing equipment and testing instruments enable our products have super quality, such as Senko polishing machine, interferometer, automatic cleaning machine and OTDR ,JGR and so on.

All of our optical products are RoHS compliant and DYS also obtained ISO9001, ISO14001 certification. Our high quality products and outstanding service win the customer from all the world, DYS fiber optic is looking forward to cooperate with you.





DYS Certifications

DYS CERTIFICATE INTERNATIONAL CERTIFICATION













₩ ISO9001-

OFNR and OFNP Cable

₩ Eca, Dca LSZH Cable

Fiber Optic Converter # Fiber Optic Co Fast Connector # Transceiver Transceiver

INNOVATIVE TECHNOLOGY

We always learn new technology by investing in production facilities, engineering process control systems, and talent development to maintain our status as a leading fiber optic connection solutions.



Our Exhibitions



Booth#: 4722 Date: 5-7 March Adds: San Diego, USA



COMMUNICASIA Booth#: BT3-07

Date: 18-20 June Adds: Marina Bay Sands Singapore



ECOC Booth#: 339 Date: 24-26 September Adds: Rome, Italy



COMMWORLD

Booth#: G16
Date: 16th-19th, August
Adds: SMX Convention Center Manila

Packing & Delivery

Sample

Within 1-2 working days

Wholesale orders

3-7 working days according various quantities





FAQ

How many staff's we have?
 Answer: About 200 well-trained staff and engineers.

2. When our company be established? Answer: We started from year 2008.

3. What's our main products?

Answer: DYS dedicates to the developing, production, marketing of the Fiber Optic Cable, Indoor/Outdoor Patch Cord, Splitter, Adapter, Attenuator, and so on.

4. What is the area of the factory?
Over 3500 square meters
More than 18 non dust productions lines in total
4 production lines for Fiber Optic Cable
2 high standard MPO/MTP Jumper assembly lines
8 production lines for standard Jumpe
4 PLC Pplitter production lines

5. What certificate we have? Answer: ISO 9001: 2015, RoSH, CE, High and New Tech Enterprise Certficate.









19 Xinjian Gongmen Road, Haidian District, Beijing, China