



## Factory selling 12,24,48 cores branching device fanout outdoor fiber optic breakout Kit

Our Product Introduction

for more products please visit us on [polyknitfabric.com](http://polyknitfabric.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: DYS/OEM
- Certification: ROHS; ISO
- Model Number: patch cable
- Minimum Order Quantity: 100 pieces
- Price: \$1.50 - \$4.50/pieces
- Packaging Details: Individual box or according to customer's request
- Supply Ability: 10000 Piece/Pieces per Day



### Product Specification

- Type: Fiber Pigtails
- Use: FTTH
- Product Type: Fiber Optic Cable Spider Fan-out Breakout Kit
- Fiber Type: Singlemode Or Multimode
- Fiber Count: 6~48
- Jacket Color: Customized
- Jacket Material: LSZH,PVC,OFRN,ORNP
- Cable Diameter: 0.9mm,2.0mm,3.0mm
- Length: Customized
- No. Of Fiber: 2,4,6,8,12,24,48
- Port: Shenzhen



### More Images



### Product Description

Factory selling 12,24,48 cores branching device fanout outdoor fiber optic breakout Kit

Our Product Introduction




The Fiber Optic Breakout Kit is used for the direct termination of fiber cable. The design is such that it houses and protects the bare fibers after they are exposed from the main fiber optic cables. The 2mm tubing can hold fiber up to 900um diameter and it also provides the support when the fiber is terminated to the connector giving a stronger grip between the fiber and connector preventing any easy fiber breakage. The kit is available in 2, 4, 6, 8, 12 and 24 cores type. Fiber Tek is also able to offer customized breakout kit which is not mentioned in this datasheet.


**Features**

Light weight Easy to use Flexible jacketed furcation tubing with aramid yarn strength member Able to accommodate cable of various sizes Comes with instruction manual which shows the step to step installation guide

**Fiber Account : 2 to 48**



**Kit Components**



**Indoor**

Light weight Easy to use Flexible jacketed furcation tubing with aramid yarn strength memberAble to accommodate cable of various sizesComes with instruction manual which shows the step to step installation guide

Breakout Kit ( Simplex )

Indoor



Breakout Kit ( Duplex )

Indoor



Breakout Kit ( 4Core )

Outdoor



Breakout Kit ( 48Core )

Outdoor



Cable Diameter Range :

3.0 to 12mm

Tubing Length :

1 meter (standard). Other lengths available upon request.

Strength Member :

Aramid Yarn

Jacket Size :	2.0mm/3.0mm/4.8mm(O.D)
Jacket Material :	PVC LSZH OFNR OFNP
Main Body Material :	Plastic ( POM ) , metal cable gland
Cable Gland Material :	Nylon 66, UL 94V-2

## Main Products



Product inquiry

Send us inquiry, you will get full catalog.



## Our Company

Shenzhen DYS Fiber Optic Technology is a leading company in developing and manufacturing advanced fiber optic products, mainly make fiber optic indoor and outdoor cable, CPRI waterproof jumper, MPO/MTP jumper, standard fiber optic jumper and PLC Splitter. DYS win the honorary title of National High-tech enterprise by Shenzhen government in 2014.

With years of experiences in the fiber optic industry, our factory is fully equipped over 3500 square meters and more than 23 non dust production lines. About 200 well-trained staff and engineers are contributing to our proud products. We have 5 production lines for fiber optic cable, 2 high standard MPO/MTP jumper assembly lines, 8 production lines for standard jumper and 8 PLC Splitter production lines.

The most advanced imported polishing equipment and testing instruments enable our products have super quality, such as Senko polishing machine, interferometer, automatic cleaning machine and OTDR, JGR and so on.

All of our optical products are RoHS compliant and DYS also obtained ISO9001, ISO14001 certification. Our high quality products and outstanding service win the customer from all the world, DYS fiber optic is looking forward to cooperate with you.



**1 ONE-Stop Solution Service**

**2** Products made by DYS own factory with competitive price good quality and fast delivery time

**Reliability Testing Laboratory**

- ① Manual Image Measuring Machine
- ② Automatic Insertion Force Testing Machine
- ③ Tensile Testing Machine
- ④ High Low Temperature Circulating Machine
- ⑤ IPX8 Pressure Water Immersion Testing Machine
- ⑥ Fiber Bending and Torsion Testing Machine
- ⑦ Salt Spray Testing Machine
- ⑧ Collision Testing Machine
- ⑨ Three Directions Vibration Test Machine





## DYS Certifications

# DYS CERTIFICATE

## INTERNATIONAL CERTIFICATION



ISO 9001:2015



OFNR and OFNP Cable



Eca, Dca LSZH Cable



Fiber Optic Converter  
Fast Connector  
Transceiver  
Patch Cord  
Adapter



Fiber Optic Converter  
Transceiver



Fiber Optic Converter  
Transceiver

### INNOVATIVE TECHNOLOGY

We always learn new technology by investing in production facilities, engineering process control systems, and talent development to maintain our status as a leading fiber optic connection solutions.



### Our Exhibitions



### Packing & Delivery

#### Sample

Within 1-2 working days

#### Wholesale orders

3-7 working days according various quantities





## FAQ

1. How many staff's we have?

Answer: About 200 well-trained staff and engineers.

2. When our company be established?

Answer: We started from year 2008.

3. What's our main products?

Answer: DYS dedicates to the developing, production, marketing of the Fiber Optic Cable, Indoor/Outdoor Patch Cord, Splitter, Adapter, Attenuator, and so on.

4. What is the area of the factory?

Over 3500 square meters

More than 18 non dust productions lines in total

4 production lines for Fiber Optic Cable

2 high standard MPO/MTP Jumper assembly lines

8 production lines for standard Jumper

4 PLC Pplitter production lines

5. What certificate we have?

Answer: ISO 9001: 2015, RoSH, CE, High and New Tech Enterprise Certificate.

**Product inquiry**

Send us inquiry, you will get full catalog.



**Beijing Silk Road Enterprise Management Services Co.,LTD**



13299345678



13299345678@163.com



polyknitfabric.com

19 Xinjian Gongmen Road, Haidian District, Beijing, China